

Index to Volume 75

Author Index

Page numbers of errata are in *italic*.

- Abe, J.-I. *See* M. Kristensen, 473
- Abecassis, J. *See* Y. Haddad, 673
- Abramson, D., R. M. Clear, E. Usleber, R. Gessler, T. W. Nowicki, and E. Märtlbauer. *Fusarium* species and 8-keto-trichothecene mycotoxins in Manitoba barley, 137
- Acosta-Zuleta, H. *See* C. M. McDonough, 58, 634
- Adalsteins, A. E. *See* D. D. Kasarda, 70
- Almeida, N. G. *See* H. D. Almeida-Domínguez, 124
- Almeida-Domínguez, H. D., G. G. Ordoñez-Durán, and N. G. Almeida. Influence of kernel damage on corn nutrient composition, dry matter losses, and processability during alkaline cooking, 124
- *See* R. Lobeira, 417
- *See* E. L. Suhendro, 320, 854
- Anderson, B. J. *See* C. M. McDonough, 58, 634
- Andrews, L. C. *See* C. S. Gaines, 207
- Añón, M. C. *See* A. E. Leon, 617
- Antes, S. *See* H. Wieser, 644
- Appels, R. *See* C. Blumenthal, 43
- Archer, T. R. *See* T. J. Siebenmorgen, 149
- Arendt, E. K. *See* K. Wehrle, 882
- Autio, K., M. Fabritius, and A. Kinnunen. Effect of germination and water content on the microstructure and rheological properties of two rye doughs, 10
- Axtell, J. D. *See* C. A. Weaver, 665
- Bae, S. O., and S.-T. Lim. Physical properties of extruded strands of hydroxypropylated normal and high-amylose corn starch, 449
- Baik, B.-K. *See* Z. Czuchajowska, 466, 747
- *See* C. Kadam, 762, 785
- *See* A. Klamczynski, 677
- Baker, L. A., and P. Rayas-Duarte. Freeze-thaw stability of amaranth starch and the effects of salt and sugars, 301
- , and —. Retrogradation of amaranth starch at different storage temperatures and the effects of salt and sugars, 308
- Baldwin, P. M. *See* A. Fardet, 699
- Bannwart, A. C. *See* F. Martínez-Bustos, 796
- Baret, J.-L. *See* P. Castello, 595
- Barlow, E. W. R. *See* C. Blumenthal, 43
- Barrett, A. H., and G. Kaletunc. Quantitative description of fracturability changes in puffed corn extrudates affected by sorption of low levels of moisture, 695
- Barry, J.-L. *See* A. Fardet, 699
- Barton, F. E., II, W. R. Windham, E. T. Champagne, and B. G. Lyon. Optimal geometries for the development of rice quality spectroscopic chemometric models, 315
- *See* E. T. Champagne, 181
- Batterman-Azcona, S. J., and B. R. Hamaker. Changes occurring in protein body structure and α -zein during cornflake processing, 217
- Bean, S. R., and Lookhart, G. L. Influence of salts and aggregation of gluten proteins on reduction and extraction of high molecular weight glutenin subunits of wheat, 75
- , R. K. Lyne, K. A. Tilley, O. K. Chung, and G. L. Lookhart. A rapid method for quantitation of insoluble polymeric proteins in flour, 374
- Bejosano, F. P., and H. Corke. Effect of *Amaranthus* and buckwheat proteins on wheat dough properties and noodle quality, 171
- Bekes, F. *See* C. Blumenthal, 43
- *See* M. J. Sissons, 30
- Bello-Pérez, L. A., P. Colonna, P. Roger, and O. Paredes-López. Macromolecular features of amaranth starch, 395
- BeMiller, J. N. *See* M. R. Jacobson, 22
- Benet, J. C. *See* Y. Haddad, 673
- Bergman, C. J., D. G. Gualberto, K. G. Campbell, M. E. Sorrells, and P. L. Finney. Genotype and environment effects on wheat quality traits in a population derived from a soft by hard cross, 729
- Bernussi, A. L. M., Y. K. Chang, and F. Martínez-Bustos. Effects of production by microwave heating after conventional baking on moisture gradient and product quality of biscuits (cookies), 606
- Bertrand, D. *See* A. Fardet, 699
- Bett, K. L. *See* E. T. Champagne, 181
- Bhatty, R. S., and B. G. Rossnagel. Comparison of pearled and unpearled Canadian and Japanese barley, 15
- *See* G.-H. Zheng, 247, 520
- Biby, G. *See* Q. Fang, 251
- Blumenthal, C., P. J. Stone, P. W. Gras, F. Bekes, B. Clarke, E. W. R. Barlow, R. Appels, and C. W. Wrigley. Heat-shock protein 70 and dough-quality changes resulting from heat stress during grain filling in wheat, 43
- Bockus, W. W. *See* V. Puppala, 94
- Bohonko, M. *See* H. H. Mu, 480
- Bouchet, B. *See* A. Fardet, 699
- Boussard, A. *See* J.-F. Delcros, 85
- Branlard, G. *See* L. Dubreil, 222
- Brown, P. B. *See* Y. V. Wu, 771
- Brumm, T. J. *See* K. M. Krieger, 656
- Buera, M. P., K. Jouppila, Y. H. Roos, and J. Chirife. Differential scanning calorimetry glass transition temperatures of white bread and mold growth in the putative glassy state, 64
- Buffo, R. A., C. L. Weller, and A. M. Parkhurst. Relationships among grain sorghum quality factors, 100
- Burkus, Z., and F. Temelli. Effect of extraction conditions on yield, composition, and viscosity stability of barley β -glucan gum, 805
- Cairns, P. *See* N. Singh, 325
- Campbell, K. G. *See* C. J. Bergman, 729
- Cao, T. *See* G. H. Robertson, 508
- Carriere, C. J. Evaluation of the entanglement molecular weights of maize starches from solution rheological measurements, 360
- , and G. E. Inglett. Solution viscoelastic properties of OATRIM-10 and cooked oat bran, 354
- Castello, P., S. Jollet, J. Potus, J.-L. Baret, and J. Nicolas. Effect of exogenous lipase on dough lipids during mixing of wheat flours, 595
- Castell-Pérez, M. E. *See* L. D. Griffith, 105, 780
- Cavella, S. *See* P. Masi, 428
- Çelik, S. *See* M. Maral Sünnetçioğlu, 875
- Champagne, E. T., B. G. Lyon, B. K. Min, B. T. Vinyard, K. L. Bett, F. E. Barton II, B. D. Webb, A. M. McClung, K. A. Moldenhauer, S. Linscombe, K. S. McKenzie, and D. E. Kohlwey. Effects of postharvest processing on texture profile analysis of cooked rice, 181
- *See* F. E. Barton II, 315
- Chang, Y. K. *See* A. L. M. Bernussi, 606
- *See* F. Martínez-Bustos, 796
- Chau, H. K. *See* L. W. Doner, 408
- Chen, H., T. J. Siebenmorgen, and K. Griffin. Quality characteristics of long-grain rice milled in two commercial systems, 560
- *See* W. Liu, 380
- Chen, P. *See* R. Ruan, 455
- Chen, X. *See* T. J. Siebenmorgen, 129
- Chirife, J. *See* M. P. Buera, 64
- Chiron, H. *See* L. Dubreil, 222
- Chow, F. I. *See* T. S. Kahlon, 897
- Chung, D. S. *See* J. Yuan, 145
- Chung, O. K. *See* S. R. Bean, 374
- *See* W. J. Jun, 820, 826
- *See* J. B. Ohm, 156
- *See* L. M. Seitz, 847
- Clark, D. C. *See* D. K. Sarker, 493
- Clarke, B. *See* C. Blumenthal, 43
- Clear, R. M. *See* D. Abramson, 137
- Cleemput, G. *See* J. A. Delcours, 403
- Codesal, P. *See* L. F. García del Moral, 755
- Colonna, P. *See* L. A. Bello-Pérez, 395
- Compoint, J.-P. *See* L. Dubreil, 222
- Corke, H. *See* F. P. Bejosano, 171
- Cortez-Rocha, M. O. *See* D. M. Trigo-Stockli, 841
- Craig, J. C. *See* L. C. Dickey, 443
- Cuq, B., N. Gontard, and S. Guilbert. Review: Proteins as agricultural polymers for packaging production, 1
- *See* L. di Gioia, 514
- Czuchajowska, Z., A. Klamczynski, B. Paszczynska, and B.-K. Baik. Structure and functionality of barley starches, 747
- , T. Otto, B. Paszczynska, and B.-K. Baik. Composition, thermal be-

- havior, and gel texture of prime and tailings starches from garbanzo beans and peas, 466
 —. See C. Kadharmestan, 762, 785
 —. See A. Klamczynski, 677
 —. See P.-Y. Lin, 705
- Dadayly, D. See M. Maral Sünnetçioğlu, 875
- Dallmer, M. F. See L. C. Dickey, 443
- Daniel, J. R. See R. L. Whistler, 72
- Daniels, M. See J.-F. C. Meullenet, 714
- Davidou, S. See J.-F. Delcros, 85
- Delcour, J. A., I. P. Van Haesendonck, G. Cleemput, D. E. Rogers, and R. C. Hoseney. Partial purification of a water-extractable rye (*Secale cereale*) protein capable of improving the quality of wheat bread, 403
 —. See A. García-Alonso, 802
 —. See A. Loosveld, 815
- Delcros, J.-F., L. Rakotozafy, A. Boussard, S. Davidou, C. Porte, J. Potus, and J. Nicolas. Effect of mixing conditions on the behavior of lipoxigenase, peroxidase, and catalase in wheat flour doughs, 85
- Delwiche, S. R., R. A. Graybosch, and C. J. Peterson. Predicting protein composition, biochemical properties, and dough-handling properties of hard red winter wheat flour by near-infrared reflectance, 412
- Deyoe, C. W. See J. B. Ohm, 156
- Dhang, D., D. C. Doehlert, and W. R. Moore. Rheological properties of (1→3), (1→4)- β -D-glucans from raw, roasted, and steamed oat groats, 433
- Dickey, L. C., M. F. Dallmer, E. R. Radewonuk, N. Parris, M. Kurantz, and J. C. Craig. Zein batch extraction from dry-milled corn: Cereal disintegration by dissolving fluid shear, 443
- di Gioia, L., B. Cuq, and S. Guilbert. Effect of hydrophilic plasticizers on thermomechanical properties of corn gluten meal, 514
- Doehlert, D. C. See D. Zhang, 433, 602
- Doetkott, C. See P. Rayas-Duarte, 338
- Donelson, J. R., and C. S. Gaines. Starch-water relationships in the sugar-snap cookie dough system, 660
- Donelson, T. See M. Ö. Raeker, 721
- Doner, L. W., H. K. Chau, M. L. Fishman, and K. B. Hicks. An improved process for isolation of corn fiber gum, 408
- Dowell, F. E. Automated color classification of single wheat kernels using visible and near-infrared reflectance, 142
- Dubreil, L., S. Méliande, H. Chiron, J.-P. Compoin, L. Quillien, G. Branlard, and D. Marion. Effect of puroindolines on the breadmaking properties of wheat flour, 222
- Eckhoff, S. R. See V. Singh, 235
- Edwards, R. H. See T. S. Kahlon, 897
- Eliasson, A.-C. See K. Wikström, 331
- Fabritius, M. See K. Autio, 10
- Faller, J. F. See E. Unlu, 346
 —. See J. Y. Faller, 904
- Faller, J. Y., B. P. Klein, and J. F. Faller. Characterization of corn-soy breakfast cereals by generalized procrustes analyses, 904
- Fan, J., T. J. Siebenmorgen, T. R. Gartman, and D. R. Gardisser. Bulk density of long- and medium-grain rice varieties as affected by harvest and conditioned moisture contents, 254
- Fan, J., and B. P. Marks. Note: Retrogradation kinetics of rice flours as influenced by cultivar, 153
- Fang, Q., G. Biby, E. Haque, M. A. Hanna, and C. K. Spillman. Neural network modeling of physical properties of ground wheat, 251
- Fardet, A., P. M. Baldwin, D. Bertrand, B. Bouchet, D. J. Gallant, and J.-L. Barry. Textural images analysis of pasta protein networks to determine influence of technological processes, 699
- Faubion, J. M. See D. Hayman, 577, 581, 585
 —. See W. Zhang, 863
- Feillet, P., and T. M. Roulland. Caroubin: A gluten-like protein isolated from carob bean germ, 488
- Figuerola-Espinoza, M. C., and X. Rouau. Oxidative cross-linking of pentosans by a fungal laccase and horseradish peroxidase: Mechanism of linkage between feruloylated arabinoxylans, 259
- Finney, P. L. See C. J. Bergman, 729
 —. See C. S. Gaines, 207
 —. See M. Ö. Raeker, 721
- Fishman, M. L. See L. W. Doner, 408
- Fleege, L. M. See C. S. Gaines, 207
- Flores, R. A. See F. F. Jamin, 166, 775
- Forssell, P. See S. Shamekh, 624
- Fu, B. X., M. I. P. Kovacs, and C. Wang. Note: A simple wheat flour swelling test, 566, 767
 —. See H. D. Sapirstein, 500
- Fulcher, R. G. See E. McEntyre, 792
- Fustier, P., and P. Gélinas. Note: Combining flour heating and chlorination to improve cake texture, 568
- Gaines, C. S., P. L. Finney, L. M. Fleege, and L. C. Andrews. Use of aspiration and the single kernel characterization system to evaluate the puffed and shriveled condition of soft wheat grain, 207
 —, and W. R. Windham. Effect of wheat moisture content on meal apparent particle size and hardness scores determined by near-infrared reflectance spectroscopy, 386
 —. See J. R. Donelson, 660
 —. See M. Ö. Raeker, 721
- Gaiotti, E. R. See F. Martínez-Bustos, 796
- Gallant, D. J. See A. Fardet, 699
- García-Alonso, A., F. Saura-Calixto, and J. A. Delcour. Influence of botanical source and processing on formation of resistant starch type III, 802
- García del Moral, L. F., A. Sopena, J. L. Montoya, P. Polo, J. Voltas, P. Codesal, J. M. Ramos, and J. L. Molina-Cano. Image analysis of grain and chemical composition of the barley plant as predictors of malting quality in Mediterranean environments, 755
- Gardisser, D. R. See J. Fan, 254
- Gartman, T. R. See J. Fan, 254
- Gélinas, P., E. Poitras, C. M. McKinnon, and A. Morin. Oxido-reductases and lipases as dough-bleaching agents, 810
 —. See P. Fustier, 568
- Gelroth, J. A. See G. S. Ranhotra, 557
- Gessler, R. See D. Abramson, 137
- Gibson, L. R., P. J. McCluskey, K. A. Tilley, and G. M. Paulsen. Quality of hard red winter wheat grown under high temperature conditions during maturation and ripening, 421
- Glennie-Holmes, M. See M. Zhou, 273
- Gontard, N. See B. Cuq, 1
- Grant, L. A. Effects of starch isolation, drying, and grinding techniques on its gelatinization and retrogradation properties, 590
 —. See J. Qian, 365
- Gras, P. W. See C. Blumenthal, 43
- Graybosch, R. A., C. J. Peterson, L. E. Hansen, S. Rahman, A. Hill, and J. H. Skerritt. Identification and characterization of U.S. wheats carrying null alleles at the wx loci, 162
 —. See S. R. Delwiche, 412
- Griffin, K. See H. Chen, 560
- Griffith, L. D., and M. E. Castell-Perez. Effects of roasting and malting on physicochemical properties of select cereals and legumes, 780
 —, —, and M. E. Griffith. Effects of blend and processing method on the nutritional quality of weaning foods made from select cereals and legumes, 105
- Griffith, M. E. See L. D. Griffith, 105
- Grobet, P. J. See A. Loosveld, 815
- Gross, J. See J.-F. C. Meullenet, 714
- Gualberto, D. G. See C. J. Bergman, 729
- Guedes, P. A. See F. Martínez-Bustos, 796
- Guilbert, S. See B. Cuq, 1
 —. See L. di Gioia, 514
- Haddad, Y., J. C. Benet, and J. Abecassis. A rapid general method for appraising the rheological properties of the starch endosperm of cereal grains, 673
- Hafskjold, R. See A. K. Uhlen, 460
- Haken, A. E. See V. Singh, 235
- Hamaker, B. R. See S. J. Batterman-Azcona, 217
 —. See C. A. Weaver, 665
 —. See G. Zhang, 710
- Han, H. L. See G. H. Zheng, 520
- Hanna, M. A. See Q. Fang, 251
- Hansen, L. E. See R. A. Graybosch, 162
- Haque, E. See Q. Fang, 251
- Hareland, G. A. Effects of break-roll speed differential on product yield and semolina granulation in a durum pilot mill system, 836
 —, and D. P. Pühr. Baking performance of durum and soft wheat flour in a sponge-dough breadmaking procedure, 830
- Hayashi, M., and M. Seguchi. Iron-enriched bread with karkade (*Hibiscus sabdariffa*) and wheat flour, 686, 909
 —. See M. Seguchi, 37
- Hayman, D., R. C. Hoseney, and J. M. Faubion. Bread crumb grain development during baking, 577
 —, —, and —. Effect of pressure (crumb formation) on bread crumb grain development, 581
 —, K. Sipes, R. C. Hoseney, and J. M. Faubion. Factors controlling gas cell failure in bread dough, 585
- Helliwell, S. See M. Zhou, 273

- Herrman, T. J. See C. Martin, 177
 —. See V. Puppala, 94
 Hicks, K. B. See L. W. Doner, 408
 Hill, A. See R. A. Graybosch, 162
 Hosney, R. C. See J. A. Delcour, 403
 —. See D. Hayman, 577, 581, 585
 —. See Y. Liao, 612
 —. See V. Vemulapalli, 439, 859
 —. See L. Wang, 629
 —. See W. Zhang, 639, 863
 Høstrup, P. Bak. See C. Poulsen, 51
- Inglett, G. E. See C. J. Carriere, 354
 Ishihara, C. See M. Seguchi, 37
- Jacobson, M. R., and J. N. BeMiller. Method for determining the rate and extent of accelerated starch retrogradation, 22
 Jamin, F. F., and R. A. Flores. Effect of additional separation and grinding on the chemical and physical properties of selected corn dry-milled streams, 166
 —, and —. Effect of separation and grinding of corn dry-milled streams on physical properties of single-screw low-speed extruded products, 775
 Jane, J. See Z. Pan, 541
 —. See M. Radosavljevic, 212
 Johnson, L. A. See M. Radosavljevic, 212
 Jollet, S. See P. Castello, 595
 Jones, R. See R. Ruan, 455
 Joupila, K. See M. P. Buera, 64
 —. See S. Lahtinen, 547
 Jovanovich, G. See A. E. Leon, 617
 Jun, W. J., O. K. Chung, and P. A. Seib. Lipids in Japanese noodle flours, 826
 —, P. A. Seib, and O. K. Chung. Characteristics of noodle flours from Japan, 820
- Kadharmestan, C., B.-K. Baik, and Z. Czuchajowska. Thermal behavior of wheat protein concentrate treated by heat and high hydrostatic pressure and its functionality in wheat dough, 785
 —, —, and —. Wheat protein concentrate treated with heat or high hydrostatic pressure in wheat-based products, 762
 Kahlon, T. S., R. H. Edwards, and F. I. Chow. Effect of extrusion on hypocholesterolemic properties of rice, oat, corn, and wheat bran diets in hamsters, 897
 Kaletunc, G. See A. H. Barrett, 695
 Kalhovd, A.-H. See A. K. Uhlen, 460
 Kamath, S. R., and A. Proctor. Silica gel from rice hull ash: Preparation and characterization, 484
 Kanenaga, K. See M. Seguchi, 37, 294
 Kasarda, D. D., K. M. Woodard, and A. E. Adalsteins. Note: Resolution of high molecular weight glutenin subunits by a new SDS-PAGE system incorporating a neutral pH buffer, 70
 Kaukovirta-Norja, A., P. Reinikainen, J. Olkku, and S. Laakso. Influence of barley and malt storage on lipoxygenase reaction, 742
 Kim, K. O. See Y. Kim, 282
 Kim, Y., Y. C. Lee, and K. O. Kim. Optimum roasting and extraction conditions and flavor characteristics of roasted malt extract, 282
 Kinnunen, A. See K. Autio, 10
 Kiribuchi-Otobe, C., T. Yanagisawa, I. Yamaguchi, and H. Yoshida. Note: Wheat mutant with waxy starch showing stable hot paste viscosity, 671
 Klamczynski, A., B.-K. Baik, and Z. Czuchajowska. Composition microstructure, water imbibition, and thermal properties of abraded barley, 677
 —. See Z. Czuchajowska, 747
 Klein, B. P. See J. Y. Faller, 904
 Klucinec, J. D., and D. B. Thompson. Fractionation of high-amylose maize starches by differential alcohol precipitation and chromatography of the fractions, 887
 Knutson, C. A. Rapid Communication: Isolation of water-miscible high-oil fractions from starch-oil composites, 351
 Kohlwey, D. E. See E. T. Champagne, 181
 Koivu, T., V. Piironen, and P. Mattila. Phylloquinone (Vitamin K₁) in cereal products, 113
 Köksel, H. See M. Maral Sünnetçioğlu, 875
 Kovacs, M. I. P. See B. X. Fu, 566
 Krieger, K. M., L. M. Pollak, T. J. Brumm, and P. J. White. Effects of pollination method and growing location on starch thermal properties of corn hybrids, 656
 Kristensen, M., V. Planchot, J.-I. Abe, and B. Svensson. Large-scale purification and characterization of barley limit dextrinase, a member of the α -amylase structural family, 473
 Kurantz, M. See L. C. Dickey, 443
 Laakso, S. See A. Kaukovirta-Norja, 742
 Lahtinen, S., M. Levola, K. Joupila, and H. Salovaara. Factors affecting cake firmness and cake moisture content as evaluated by response surface methodology, 547
 Lai, H.-M., and G. W. Padua. Water vapor barrier properties of zein films plasticized with oleic acid, 194
 Lee, S.-A., and S.-T. Lim. Preparation and solubility of phosphorylated β -cyclodextrins, 690
 Lee, Y. C. See Y. Kim, 282
 Leinen, S. D. See G. S. Ranhotra, 557
 Leon, A. E., G. Jovanovich, and M. C. Afión. Gelatinization profiles of triticale starch in cookies as influenced by moisture and solutes, 617
 Levola, M. See S. Lahtinen, 547
 Liao, Y., R. A. Miller, and R. C. Hosney. Role of hydrogen peroxide produced by baker's yeast on dough rheology, 612
 Lim, S.-T. See S. O. Bae, 449
 —. See S.-A. Lee, 690
 Lin, P.-Y., and Z. Czuchajowska. Role of phosphorus in viscosity, gelatinization, and retrogradation of starch, 705
 Linscombe, S. See E. T. Champagne, 181
 Liu, Q., and D. B. Thompson. Retrogradation of *du wx* and *su2 wx* maize starches after different gelatinization heat treatments, 868
 Liu, W., Y. Tao, T. J. Siebenmorgen, and H. Chen. Digital image analysis method for rapid measurement of rice degree of milling, 380
 Lobeira, R., H. D. Almeida-Dominguez, and L. W. Rooney. Methods to evaluate hydration and mixing properties of nixtamalized corn flours, 417
 Longva, Å. See A. K. Uhlen, 460
 Lookhart, G. L. See S. R. Bean, 75, 374
 Loosveld, A., C. Maes, W. H. M. van Casteren, H. A. Schols, P. J. Grobet, and J. A. Delcour. Structural variation and levels of water-extractable arabinogalactan-peptide in European wheat flours, 815
 Loughin, T. M. See C. Martin, 177
 —. See V. Puppala, 94
 Lu, X., and P. A. Seib. Assay of dehydroascorbic acid in bread and dough added as a crystalline dimer, 200
 Lyne, R. K. See S. R. Bean, 374
 Lyon, B. G. See F. E. Barton II, 315
 —. See E. T. Champagne, 181
- Madson, M. A. See R. L. Whistler, 72
 Maes, C. See A. Loosveld, 815
 Magnus, E. M. See A. K. Uhlen, 460
 Majewska, K. See P. Rayas-Duarte, 338
 Marion, D. See L. Dubreil, 222
 Marks, B. P., and R. L. Stroschne. Relating electrolyte leakage to shelled corn storability, 651
 —. See J. Fan, 153
 —. See J.-F. C. Meullenet, 714
 Martin, C., T. J. Herrman, T. Loughin, and S. Oentong. Micropycnometer measurement of single-kernel density of healthy, sprouted, and scab-damaged wheats, 177
 Martínez-Bustos, F., Y. K. Chang, A. C. Bannwart, M. E. Rodríguez, P. A. Guedes, and E. R. Gaiotti. Effects of calcium hydroxide and processing conditions on corn meal extrudates, 796
 —. See A. L. M. Bernussi, 606
 Märtlbauer, E. See D. Abramson, 137
 Masi, P., S. Cavella, and M. Sepe. Characterization of dynamic viscoelastic behavior of wheat flour doughs at different moisture contents, 428
 Matser, A. M., and P. A. M. Steeneken. Filtration characteristics of maize and wheat starch hydrolysates, 241
 —, and —. Origins of the poor filtration characteristics of wheat starch hydrolysates, 289
 Matsuki, J. See T. Sasaki, 525
 Mattila, P. See T. Koivu, 113
 Maurooustakos, A. See J. D. Reid, 738
 —. See T. J. Siebenmorgen, 129
 McClung, A. M. See E. T. Champagne, 181
 McCluskey, P. J. See L. R. Gibson, 421
 McDonough, C. M., B. J. Anderson, H. Acosta-Zuleta, and L. W. Rooney. Effect of conditioning agents on the structure of tempered and steam-flaked sorghum, 58
 —, —, and —. Steam flaking characteristics of sorghum hybrids and lines with differing endosperm characteristics, 634
 —. See E. L. Suhendro, 187
 McEntyre, E., R. Ruan, and R. G. Fulcher. Comparison of water absorption patterns in two barley cultivars, using magnetic resonance imaging, 792
 McKenzie, K. S. See E. T. Champagne, 181
 McKinnon, C. M. See P. Gélina, 810
 Méliande, S. See L. Dubreil, 222
 Meullenet, J.-F. C., J. Gross, B. P. Marks, and M. Daniels. Sensory descriptive texture analyses of cooked rice and its correlation to instrumental parameters using an extrusion cell, 714
 Miller, K. A. See V. Vemulapalli, 439

- Miller, R. A. See Y. Liao, 612
 —. See L. Wang, 629
 Min, B. K. See E. T. Champagne, 181
 Moldenhauer, K. A. See E. T. Champagne, 181
 Molina-Cano, J. L. See L. F. García del Moral, 755
 Montoya, J. L. See L. F. García del Moral, 755
 Moore, W. R. See D. Zhang, 433, 602
 Moreira, R. G. See E. L. Suhendro, 854
 Morgan, K. R., and D. J. Ofman. Rapid Communication: Glucagel, a commercial gelling β -glucan from barley, 879
 Morin, A. See P. Gélinas, 810
 Morris, V. J. See N. Singh, 325
 Mu, H. H., C. Mu-Forster, M. Bohonko, and B. P. Wasserman. Heat-induced fragmentation of the maize waxy protein during protein extraction from starch granules, 480
 Mu-Forster, C. See H. H. Mu, 480
 Mustrand, A. See S. Shamekh, 624
 Nehus, Z. T. See T. J. Siebenmorgen, 149
 Nelles, E. M., P. G. Randall, and J. R. N. Taylor. Improvement of brown bread quality by prehydration treatment and cultivar selection of bran, 536
 Nicolas, J. See P. Castello, 595
 —. See J.-F. Delcros, 85
 Ning, A. See R. Ruan, 455
 Ning, S. See R. Ruan, 455
 Niu, Y. X. See V. Singh, 235
 Noguchi, S. See M. Seguchi, 37
 Nowicki, T. W. See D. Abramson, 137
 Oentong, S. See C. Martin, 177
 Ofman, D. J. See K. R. Morgan, 879
 Ohm, J. B., O. K. Chung, and C. W. Deyoe. Single-kernel characteristics of hard winter wheats in relation to milling and baking quality, 156
 Olkku, J. See A. Kaukovirta-Norja, 742
 Ordoñez-Durán, G. G. See H. D. Almeida-Domínguez, 124
 Otto, T. See Z. Czuchajowska, 466
 Padua, G. W. See H.-M. Lai, 194
 Pan, Z., S. Zhang, and J. Jane. Effects of extrusion variables and chemicals on the properties of starch-based binders and processing conditions, 541
 Paredes-López, O. See L. A. Bello-Pérez, 395
 Parkhurst, A. M. See R. A. Buffo, 100
 Parris, N. See L. C. Dickey, 443
 Paszczynska, B. See Z. Czuchajowska, 466, 747
 Paulsen, G. M. See L. R. Gibson, 421
 Pedersen, J. R. See D. M. Trigo-Stockli, 841
 Perdon, A. A. See T. J. Siebenmorgen, 129
 Peterson, C. J. See S. R. Delwiche, 412
 —. See R. A. Graybosch, 162
 Peterson, D. M. Maltinng oats: Effects on chemical composition of hull-less and hulled genotypes, 230
 Petit-Benvenne, M.-D., L. Saulnier, and X. Rouau. Solubilization of arabinoxylans from isolated water-unextractable pentosans and wheat flour doughs by cell-wall-degrading enzymes, 551
 Phan-Thien, N. See M. Safari-Ardi, 80
 Piironen, V. See T. Koivu, 113
 Planchot, V. See M. Kristensen, 473
 Poitras, E. See P. Gélinas, 810
 Pollak, L. M. See K. M. Krieger, 656
 Pollio, M. L., M. P. Tolaba, and C. Suárez. Measuring and modeling grain sorption equilibria of amaranth grains, 297
 Polo, P. See L. F. García del Moral, 755
 Porte, C. See J.-F. Delcros, 85
 Potus, J. See P. Castello, 595
 —. See J.-F. Delcros, 85
 Poulsen, C., and P. Bak Høstrup. Purification and characterization of a hexose oxidase with excellent strengthening effects in bread, 51
 Poutanen, K. See S. Shamekh, 624
 Proctor, A. See S. R. Kamath, 484
 Pühr, D. P. See G. A. Hareland, 830
 Puppala, V., T. J. Herrman, W. W. Bockus, and T. M. Loughin. Quality response of twelve hard red winter wheat cultivars to foliar disease across four locations in central Kansas, 94
 Qian, J., P. Rayas-Duarte, and L. Grant. Partial characterization of buckwheat (*Fagopyrum esculentum*) starch, 365
 Quillien, L. See L. Dubreil, 222
 Radewonuk, E. R. See L. C. Dickey, 443
 Radosavljevic, M., J. Jane, and L. A. Johnson. Isolation of amaranth starch by diluted alkaline-protease treatment, 212
 Raeker, M. Ö., C. S. Gaines, P. L. Finney, and T. Donelson. Granule size distribution and chemical composition of starches from 12 soft wheat cultivars, 721
 Rahman, S. See R. A. Graybosch, 162
 Rakotozafy, L. See J.-F. Delcros, 85
 Ramos, J. M. See L. F. García del Moral, 755
 Randall, P. G. See E. M. Nelles, 536
 Ranhotra, G. S., J. A. Gelroth, S. D. Leinen, and T. W. Ricklefs. Effect of shortenings containing stearic acid on blood lipids and fat digestibilities in hamsters, 557
 Rayas-Duarte, P., K. Majewska, and C. Doetkott. Effect of extrusion process parameters on the quality of buckwheat flour mixes, 338
 —. See L. A. Baker, 301, 308
 —. See J. Qian, 365
 Reid, J. D., T. J. Siebenmorgen, and A. Mauromoustakos. Factors affecting the slope of head rice yield vs. degree of milling, 738
 Reinikainen, P. See A. Kaukovirta-Norja, 742
 Rengarajan, R. See L. M. Seitz, 847
 Renner-Nantz, J. J. See W. Yokoyama, 530
 Ricklefs, T. W. See G. S. Ranhotra, 557
 Robards, K. See M. Zhou, 273
 Robertson, G. H., and T. Cao. Substitution of concentrated ethanol for water in the laboratory washing fractionation of protein and starch from hydrated wheat flour, 508
 Rodríguez, M. E. See F. Martínez-Bustos, 796
 Roger, P. See L. A. Bello-Pérez, 395
 Rogers, D. E. See J. A. Delcours, 403
 Rooney, L. W. See R. Lobeira, 417
 —. See C. M. McDonough, 58, 634
 —. See E. L. Suhendro, 187, 320, 854
 Roos, Y. H. See M. P. Buera, 64
 Rosati, R. R. See Y. V. Wu, 771
 Rossnagel, B. G. See R. S. Bhatti, 15
 Rouau, X. See M. C. Figueroa-Espinoza, 259
 —. See M.-D. Petit-Benvenne, 551
 Roulland, T. M. See P. Feillet, 488
 Ruan, R., S. Ning, A. Song, A. Ning, R. Jones, and P. Chen. Estimation of *Fusarium* scab in wheat using machine vision and a neural network, 455
 —. See E. McEntyre, 792
 Safari-Ardi, M., and N. Phan-Thien. Stress relaxation and oscillatory tests to distinguish between doughs prepared from wheat flours of different varietal origin, 80
 Sahlström, S. See A. K. Uhlen, 460
 Salovaara, H. See S. Lahtinen, 547
 Sanchez-Maríñez, R. I. See D. M. Trigo-Stockli, 841
 Sapirstein, H. D., and B. X. Fu. Intercultivar variation in the quantity of monomeric proteins, soluble and insoluble glutenin, and residue protein in wheat flour and relationships to breadmaking quality, 500, 767
 Sarker, D. K., P. J. Wilde, and D. C. Clark. Enhancement of protein foam stability by formation of wheat arabinoxylan-protein crosslinks, 493
 Sasaki, T., and J. Matsuki. Effect of wheat starch structure on swelling power, 525
 Saulnier, L. See M.-D. Petit-Benvenne, 551
 Saura-Calixto, F. See A. García-Alonso, 802
 Schols, H. A. See A. Loosveld, 815
 Seguchi, M., M. Hayashi, K. Kanenaga, C. Ishihara, and S. Noguchi. Springiness of pancake and its relation to binding of prime starch to tailings in stored wheat flour, 37
 —, and K. Kanenaga. Structure of lysophosphatidylglyceryl-remazolbril-lant blue (LPG-RBB) from the surface of dyed wheat starch granules, 294
 —. See M. Hayashi, 686, 909
 Seib, P. A. See W. J. Jun, 820, 826
 —. See X. Lu, 200
 —. See J. Yuan, 145
 Seilmeier, W. See H. Wieser, 644
 Seitz, L. M., O. K. Chung, and R. Rengarajan. Volatiles in selected commercial breads, 847
 Sepe, M. See P. Masi, 428
 Shamekh, S., A. Mustrand, K. Poutanen, and P. Forsell. Enzymatic hydrolysis of barley starch lipids, 624
 Shoemaker, C. F. See W. Yokoyama, 530
 Siebenmorgen, T. J., Z. T. Nehus, and T. R. Archer. Milled rice breakage due to environmental conditions, 149
 —, A. A. Perdon, X. Chen, and A. Mauromoustakos. Relating rice milling quality changes during adsorption to individual kernel moisture content distribution, 129
 —. See H. Chen, 560
 —. See J. Fan, 254

- , See W. Liu, 380
- , See J. D. Reid, 738
- Singh, N., P. Cairns, V. J. Morris, and A. C. Smith. Physical properties of extruded wheat starch-additive mixtures, 325
- Singh, V., A. E. Haaken, Y. X. Niu, S. H. Zou, and S. R. Eckhoff. Wet-milling characteristics of selected yellow dent corn hybrids as influenced by storage conditions, 235
- Sipes, K. See D. Hayman, 585
- Sissons, M. J., F. Bekes, and J. H. Skeritt. Isolation and functionality testing of low molecular weight glutenin subunits, 30
- Skeritt, J. H. See R. A. Graybosch, 162
- , See M. J. Sissons, 30
- Smith, A. C. See N. Singh, 325
- Song, A. See R. Ruan, 455
- Sopena, A. See L. F. García del Moral, 755
- Sorrells, M. E. See C. J. Bergman, 729
- Spillman, C. K. See Q. Fang, 251
- Steeneken, P. A. M. See A. M. Matser, 241, 289
- Stroshine, R. L. See B. P. Marks, 651
- Suárez, C. See M. L. Pollio, 297
- Suhendro, E. L., H. D. Almeida-Dominguez, L. W. Rooney, and R. D. Waniska. Objective rollability method for corn tortilla texture measurement, 320
- , —, —, —, and R. G. Moreira. Tortilla bending technique: An objective method for corn tortilla texture measurement, 854
- , C. M. McDonough, L. W. Rooney, R. D. Waniska, and S. Yetneberk. Effects of processing conditions and sorghum cultivar on alkaline-processed snacks, 187
- Sünnetçioğlu, M. M., D. Dadaylı, S. Çelik, and H. Köksel. Application of the electron paramagnetic resonance spin probe technique for detection of irradiated wheat, 875
- Svensson, B. See M. Kristensen, 473
- Tao, Y. See W. Liu, 380
- Taylor, J. R. N. See E. M. Nelles, 536
- Temelli, F. See Z. Burkus, 805
- Thompson, D. B. See J. D. Klucinec, 887
- , See Q. Liu, 868
- , See R. C. Yuan, 117, 571
- Tilley, K. A. See S. R. Bean, 374
- , See L. R. Gibson, 421
- Tolaba, M. P. See M. L. Pollio, 297
- Trigo-Stockli, D. M., R. I. Sanchez-Maríñez, M. O. Cortez-Rocha, and J. R. Pederesen. Comparison of the distribution and occurrence of *Fusarium graminearum* and deoxynivalenol in hard red winter wheat for 1993 to 1996, 841
- Uhlen, A. K., R. Hafskjold, A.-H. Kalhovd, S. Sahlström, Å. Longva, and E. M. Magnus. Effects of cultivar and temperature during grain filling on wheat protein content, composition, and dough mixing properties, 460
- Unlu, E., and J. F. Faller. Formation of resistant starch by a twin-screw extruder, 346
- Usleber, E. See D. Abramson, 137
- van Casteren, W. H. M. See A. Loosveld, 815
- Van Haesendonck, I. P. See J. A. Delcour, 403
- Vemulapalli, V., and R. C. Hoseney. Glucose oxidase effects on gluten and water solubles, 859
- , K. A. Miller, and R. C. Hoseney. Glucose oxidase in breadmaking systems, 439
- Vinyard, B. T. See E. T. Champagne, 181
- Voltas, J. See L. F. García del Moral, 755
- Wang, C. See B. X. Fu, 566
- Wang, L., R. A. Miller, and R. C. Hoseney. Effects of (1→3),(1→4)- β -D-glucans of wheat flour on breadmaking, 629
- Wang, Y. See J. Yuan, 145
- Waniska, R. D. See E. L. Suhendro, 187, 320, 854
- Wasserman, B. P. See H. H. Mu, 480
- Weaver, C. A., B. R. Hamaker, and J. D. Axtell. Discovery of grain sorghum germ plasma with high uncooked and cooked in vitro protein digestibilities, 665
- Webb, B. D. See E. T. Champagne, 181
- Wehrle, K., and E. K. Arendt. Rheological changes in wheat sourdough during controlled and spontaneous fermentation, 882
- Weller, C. L. See R. A. Buffo, 100
- Whistler, R. L., M. A. Madson, J. Zhao, and J. R. Daniel. Surface derivatization of corn starch granules, 72
- White, P. J. See K. M. Krieger, 656
- Wieser, H., S. Antes, and W. Seilmeier. Quantitative determination of gluten protein types in wheat flour by reversed-phase high-performance liquid chromatography, 644
- Wikström, K., and A.-C. Eliasson. Effects of enzymes and oxidizing agents on shear stress relaxation of wheat flour dough: Additions of protease, glucose oxidase, ascorbic acid, and potassium bromate, 331
- Wilde, P. J. See D. K. Sarker, 493
- Windham, W. R. See F. E. Barton II, 315
- , See C. S. Gaines, 386
- Woodward, K. M. See D. D. Kasarda, 70
- Wrigley, C. W. See C. Blumenthal, 43
- Wu, Y. V., R. R. Rosati, and P. B. Brown. Effects of lysine on growth of tilapia fed diets rich in corn gluten meal, 771
- Yamaguchi, I. See C. Kiribuchi-Otobe, 671
- Yanagisawa, T. See C. Kiribuchi-Otobe, 671
- Yetneberk, S. See E. L. Suhendro, 187
- Yokoyama, W., J. J. Renner-Nantz, and C. F. Shoemaker. Starch molecular mass and size by size-exclusion chromatography in DMSO-LiBr coupled with multiple angle laser light scattering, 530
- Yoshida, H. See C. Kiribuchi-Otobe, 671
- Yuan, J., D. S. Chung, P. A. Seib, and Y. Wang. Effect of steeping conditions on wet-milling characteristics of hard red winter wheat, 145
- Yuan, R. C., and D. B. Thompson. Rheological and thermal properties of aged starch pastes from three waxy maize genotypes, 117
- , and —. Note: Freeze-thaw stability of three waxy maize starch pastes measured by centrifugation and calorimetry, 571
- Zhang, D., W. R. Moore, and D. C. Doehlert. Effects of oat grain hydrothermal treatments on wheat-oat flour dough properties and breadbaking quality, 602
- Zhang, G., and B. R. Hamaker. Low α -amylase starch digestibility of cooked sorghum flours and the effect of protein, 710
- Zhang, S. See Z. Pan, 541
- Zhang, W., and R. C. Hoseney. Factors affecting expansion of corn meals with poor and good expansion properties, 639
- , —, and J. M. Faubion. Capillary rheometry of corn endosperm: Glass transition, flower properties, and melting of starch, 863
- Zhao, J. See R. L. Whistler, 72
- Zheng, G.-H., and R. S. Bhatta. Enzyme-assisted wet separation of starch from other seed components of hull-less barley, 247
- , H. L. Han, and R. S. Bhatta. Physicochemical properties of zero amylose hull-less barley starch, 520
- Zhou, M., K. Robards, M. Glennie-Holmes, and S. Helliwell. Review: Structure and pasting properties of oat starch, 273
- Zou, S. H. See V. Singh, 235

Subject Index

Page numbers of errata are in *italic*.

Alkaline cooking, kernel damage influence on corn nutrient composition, dry matter losses, and processability during (Almeida-Domínguez et al), 124

Amaranth

- grains; measuring and modeling grain sorption equilibria of (Pollio et al), 297
- starch; retrogradation during storage, effect of salt and sugars, DSC (Baker and Rayas-Duarte), 308
- starch; retrogradation measured by freeze-thaw stability and DSC (Baker and Rayas-Duarte), 301
- starch; isolation of by diluted alkaline-protease treatment (Radosavljevic et al), 212

α -Amylase, structural family; specificity motifs in sequence regions (Kristensen et al), 473

Amylopectin, waxy maize genotypes, structure in relation to retrogradation and rheological properties (Yuan and Thompson), 117

Amylose, relation to granule-bound starch synthase alleles of wheat (Graybosch et al), 162

Arabinoxylan

- cross-linking through ferulic and catalyzed by laccase and horseradish peroxidase (Figueroa-Espinoza and Rouau), 259
- solubilization by enzymes (Petit-Benvegnen et al), 551

Baking

- bread crumb grain development during (Hayman et al), 577
- bread, effect of glucose oxidase on gluten and water-soluble fractions (Vemulapalli and Hosney), 859
- bread, effect of pentosans (Wang et al), 629
- bread, factors controlling gas cell failure in bread dough (Hayman et al), 585
- bread, rheological effect of yeast (Liao et al), 612
- cookie, starch-water relationships in (Donelson and Gaines), 660
- cookies with triticale flour, effect of moisture and solutes (Leon et al), 617
- effect of pressure (crust formation) on crumb grain (Hayman et al), 581
- effect of a rye extract on wheat flour baking performance (Delcours et al), 403
- microwave heating effect on biscuit (cookie) quality (Bernussi et al), 606
- performance of durum and soft wheat flour in sponge-dough (Hareland and Pühr), 830
- single kernel characteristics of wheat in relation to (Ohm et al), 156

Barley

- abraded, microstructure, water imbibition, and thermal properties of (Klamczynski et al), 677
 - Glucagel from (Morgan and Ofman), 879
 - β -glucan; effects of extraction treatment on composition and viscosity stability (Burkus and Temelli), 805
 - hull-less, Canadian and Japanese compared (Bhaty and Rossnagel), 15
 - hull-less, physicochemical properties of zero amylose starch (Zheng et al), 520
 - image analysis of grain and chemical composition of, as predictors of Mediterranean malting quality (García del Moral et al), 755
 - malting (Kaukovirta-Norja et al), 742
 - mycotoxins in (Abramson et al), 137
 - roasted, flavor characteristics (Kim et al), 282
 - starches; structure and functionality (Czuchajowska et al), 747
 - starches; wet-extraction and enzymes assistance (Zheng and Bhaty), 247
 - starch lipids; enzymatic hydrolysis of (Shamekh et al), 624
 - water absorption patterns compared, using MRI (McEntyre et al), 792
- Barley limit dextrinase, purification, substrate specificity, inhibition by cyclodextrins, primary structure (Kristensen et al), 473
- Biscuits (cookies), effects of baking on overall quality (Bernussi et al), 606
- Bran, cultivar selection for improvement of brown bread quality by prehydration treatment (Nelles et al), 536

Bread

- baking; effect of β -glucan on crumb grain (Wang et al), 629
- baking; effect of glucose oxidase on gluten and water-soluble fractions (Vemulapalli and Hosney), 859
- baking; rheological effect of yeast (Liao et al), 612
- brown, quality improvement by prehydration treatment and cultivar bran selection (Nelles et al), 536
- crumb grain development; during baking (Hayman et al), 577
- crumb grain; effect of pressure (crust formation) during baking (Hayman et al), 581
- crumb grain; factors affecting in breadmaking (Hayman et al), 585

—dehydroascorbic acid assay in (Lu and Seib), 200

—increased volume, enzyme addition (Poulsen and Høstrup), 51

—iron-enriched, by karkade and wheat flour (Hayashi and Seguchi), 686, 909

—volatile compounds in selected commercial breads (Seitz et al), 847

—white, glass transition and mold growth in (Buera et al), 64

Breadmaking

- effects of oat grain hydrothermal treatments on (Zhang et al), 602
- properties of wheat flour; effect of puroindolines on (Dubreil et al), 222
- quality; relation to intercultivar variation in quantity of proteins and glutenin in wheat flour (Sapirstein and Fu), 500, 767
- use of glucose oxidase as an oxidant (Vemulapalli et al), 439
- utilization of durum or soft wheat flour in a sponge-dough baking method (Hareland and Pühr), 830

Buckwheat

- and *Amaranthus*, protein quality (Bejosano and Corke), 171
- flour; quality affected by extrusion process parameters (Rayas-Duarte et al), 338
- starch; partial characterization (Quian et al), 365

Cake

- firmness and moisture content factors (Lahtinen et al), 547
- texture; improvement with combined flour heating and chlorination (Fustier and Gélinas), 568

Carob, bean germ; isolation of caroubin from (Feillet and Roulland), 488

Caroubin, a gluten-like protein (Feillet and Roulland), 488

Catalase, in wheat flour doughs; mixing condition effect on (Delcours et al), 85

Cereal

- corn-soy breakfast, characterization (Faller et al), 904
- grains; method for appraising rheological properties of starchy endosperm of (Haddad et al), 673
- milling and bakery products (Koivu et al), 113

Chromatography, size-exclusion, for starch molecule mass and size (Yokoyama et al), 530

Commercial whey protein concentrate, unmodified and modified and its functionality in wheat dough (Kadarmestan et al), 785

Cookies, starch-water relationships in (Donelson and Gaines), 660

Corn (see also Maize)

- additional separation and grinding effect on physical and chemical properties of (Jamin and Flores), 166
- capillary rheometry of corn endosperm (Zhang et al), 863
- damage influence on nutrient composition, dry matter losses, and processability during alkaline cooking (Almeida-Domínguez et al), 124
- dry-milled, zein batch extraction from, cereal disintegration (Dickey et al), 443
- factors affecting expansion of extruded curls (Zhang and Hosney), 639
- fiber gum; improved process for isolation (Doner et al), 408
- flours; methods to evaluate hydration and mixing properties of (Lobeira et al), 417
- gluten meal; effect of hydrophilic plasticizers on thermomechanical properties of (di Gioia et al), 514
- gluten meal; in tilapia feed (Wu et al), 771
- milling; separation and grinding effect on physical properties of extruded products (Jamin and Flores), 775
- storability; electrolyte leakage relation (Marks and Stoshine), 651
- wet-milling characteristics of, storage effect (Singh et al), 235

Corn bran, effect of extrusion on cholesterol-lowering properties (Kahlon et al), 897

Corn meal, extrudates affected by calcium hydroxide (Martínez-Bustos et al), 796

Corn starch

- high-amylose, fractionation of (Klucinec and Thompson), 887
- hydroxypropylated high-amylose, extruded strands (Bae and Lim), 449
- microscopic examinations of extruded corn starch-calcium complex (Martínez-Bustos et al), 796

Cowpea, physicochemical properties related to roasting and malting (Griffith and Castell-Perez), 780

Differential scanning calorimetry

- for determination of glass transition in bread (Buera et al), 64
- retrogradation, *du wx* and *su2 wx* starches (Liu and Thompson), 868
- of starch in corn hybrids grown in different environments and by different pollination methods (Krieger et al), 656

Digestibility

- low α -amylase starch, of cooked sorghum flours and effect of protein (Zhang and Hamaker), 710
- protein, discovery of grain sorghum germ plasm with (Weaver et al), 665

- Dough**
- dehydroascorbic acid assay in (Lu and Seib), 200
 - extensigraph measurements, enzymatic oxidation (Poulsen and Høstrup), 51
 - lipids; exogenous lipase effect on, during mixing of wheat flours (Castello et al), 595
 - properties; prediction by NIR (Delwiche et al), 412
 - rheology; stress relaxation (Safari-Ardi and Phan-Thien), 80
 - wheat flour; characterization of viscoelastic behavior of (Masi et al), 428
 - wheat flour; enzyme effect on shear stress relaxation of (Wikström and Eliasson), 331
- Electron paramagnetic resonance spin probe technique, for detection of irradiated wheat (Sünnetçioglu et al), 875**
- Electrophoresis, SDS-PAGE of high molecular weight glutenin subunits (Bean and Lookhart), 75**
- Endosperm, characteristics; steam flaking of lines with (McDonough et al), 634**
- Environment**
- heat stress in grain filling (Blumenthal et al), 43
 - milled rice breakage due to (Siebenmorgen et al), 149
- Enzymatic hydrolysis, of barley starch lipids (Shamekh et al), 624**
- Enzymes**
- dough-bleaching agents, oxido-reductases, lipases (Gélinas et al), 810
 - effect on shear stress relaxation of wheat flour dough (Wikström and Eliasson), 331
 - solubilization of arabinoxylans (Petit-Benvegnen et al), 551
- Errata**
- vol. 75, no. 4, p. 500, 767
 - vol. 75, no. 5, p. 686, 909
- Ethanol, substitution for water in protein and starch fractionation from wheat flour (Robertson and Cao), 508**
- Extrusion**
- of corn; capillary rheometry to predict properties (Zhang et al), 863
 - effect of calcium hydroxide and processing conditions on corn meal extrudates (Martínez-Bustos et al), 796
 - effect on hypocholesterolemic properties of rice, oat, corn, and wheat bran (Kahlon et al), 897
 - effect on quality of buckwheat flour mixes (Rayas-Duarte et al), 338
 - effects of variables and chemicals on properties of starch-based binders and processing conditions (Pan et al), 541
 - factors affecting expansion of corn curls (Zhang and Hosney), 639
 - formation of resistant starch (Unlu and Fallar), 346
 - of wheat starch and additives (Singh et al), 325
- Fat, starch replacement of (Whistler et al), 72**
- Fermentation**
- controlled and spontaneous, rheological changes in wheat sourdough (Wehrle and Arendt), 882
 - effects on nutritional quality of weaning foods (Griffith et al), 105
- Filtration**
- characteristics of maize and wheat starch hydrolysates (Matser and Steeneken), 241
 - wheat starch hydrolysate characteristics (Matser and Steeneken), 289
- Flavor, characteristics of roasted malt and barley extracts (Kim et al), 282**
- Flour**
- enzymes; bleaching agents (Gélinas et al), 810
 - European wheat, water-extractable arabinogalactan-peptide in, structural variation and levels of (Loosveld et al), 815
 - heating and chlorination combined to improve cake texture (Fustier and Gélinas), 568
 - noodle, characteristics, from Japan (Jun et al), 820
 - noodle, lipids in Japanese (Jun et al), 826
 - quantitative determination of gluten protein types by RP-HPLC (Wiser et al), 644
 - swelling properties in wheat; measurement (Fu et al), 566
 - wheat, quality response to high growth temperature (Gibson et al), 421
- Fractionation**
- of flour proteins (Wiser et al), 644
 - of high-amylose maize starch (Klucinec and Thompson), 887
- Gelatinization**
- starch, effect of isolation, drying, and grinding on (Grant), 590
 - of triticale starch in baked cookies (Leon et al), 617
- Genetics, effect on wheat quality (Bergman et al), 729**
- Glass transition, use of capillary rheometer to determine in corn endosperm (Zhang et al), 863**
- Gliadin, aggregation with glutenins (Bean and Lookhart), 75**
- β -Glucan**
- barley, extraction treatment effect on composition and viscosity stability (Burkus and Temelli), 805
 - from barley; Glucagel (Morgan and Ofman), 879
 - effect on crumb grain (Wang et al), 629
 - oat, effects of malting (Peterson), 230
 - rheological properties of, from oat groats (Zhang et al), 433
- Glucose oxidase**
- effect during breadmaking (Vemulapalli et al), 439
 - effects on gluten and water-soluble fractions (Vemulapalli and Hosney), 859
- Gluten**
- caroubin, a gluten-like protein (Feillet and Roulland), 488
 - composition; effect of growth conditions (Blumenthal et al), 43
 - oxidation of sulfhydryl groups, strengthening (Poulsen and Høstrup), 51
- Glutenin**
- size distribution of polymers (Blumenthal et al), 43
 - solubilization/aggregation in presence of salts (Bean and Lookhart), 75
 - subunits; isolation and functionality of (Sissons et al), 30
- Grain**
- amaranth; measuring and modeling grain sorption equilibria of (Pollio et al), 297
 - color classification of wheat (Dowell), 142
 - quality; evaluation (Gaines et al), 207
 - wheat, estimation of scab using machine vision and neural network (Ruan et al), 455
- Gum, corn fiber, improved process for isolation (Doner et al), 408**
- Hardness, scores determined by NIR spectroscopy, effect of wheat moisture content on (Gaines and Windham), 386**
- HPLC, analysis of phylloquinone from cereals (Koivu et al), 113**
- HPSEC, combined with light scattering for structural characterization of amaranth starch (Bello-Pérez et al), 395**
- Hydrolysates**
- filtration properties of maize and wheat starch (Matser and Steeneken), 241
 - origin of poor filtration characteristics of wheat starch (Matser and Steeneken), 289
- Image analysis**
- estimation of scab in wheat using machine vision and neural network (Ruan et al), 455
 - of grain and chemical composition of barley as predictors of malting quality in Mediterranean (García del Moral et al), 755
 - for rapid measurement of rice degree of milling (Liu et al), 380
- Instructions to authors, iv**
- Instruments and instrumentation, determining single kernel color using NIR (Dowell), 142**
- Laccase, mechanism of arabinoxylan cross-linking through dimerization of feruloyl esters (Figuerola-Espinoza and Rouau), 259**
- Lipase, exogenous, effect on dough lipids during mixing of wheat flours (Castello et al), 595**
- Lipids, oat, effects of malting (Peterson), 230**
- Lipoxygenase, in wheat flour doughs; mixing condition effect on (Delcros et al), 85**
- Lysine, effect on growth of tilapia (Wu et al), 771**
- Magnetic resonance imaging, of barley; use to compare water absorption patterns (McEntyre et al), 792**
- Maize (see also Corn)**
- starch hydrolysates; filtration characteristics of (Matser and Steeneken), 241
 - starch; retrogradation heat treatment (Liu and Thompson), 868
 - starches; evaluation of entanglement molecular weights of (Carriere), 360
 - waxy protein; heat-induced fragmentation of, during protein extraction from starch granules (Mu et al), 480
 - wet-milling vs. NIR (Dijkhuizen et al), 266
- Malt, optimum roasting and extraction conditions of extract and flavor characteristics (Kim et al), 282**
- Malting**
- effects on viscosity of weaning foods (Griffith et al), 105
 - oats, chemical composition of (Peterson), 230
 - quality; barley plant as predictor of, in Mediterranean (García del Moral et al), 755
- Methods**
- to evaluate hydration and mixing properties of nixtamalized corn flours (Lobeira et al), 417
 - objective rollability for corn tortilla texture measurement (Suhendro et al), 320
- Microwave, high and medium power settings for biscuit (cookie) baking (Bernussi et al), 606**
- Milling**
- corn dry milled streams, separation and grinding effect on physical properties of extruded products (Jamin and Flores), 775
 - durum wheat, effects of roll speed differential on semolina (Hareland), 836
 - quality; changes during adsorption (Siebenmorgen et al), 129
 - quality characteristics of long-grain rice (Chen et al), 560

- single kernel characteristics of wheat in relation to (Ohm et al), 156
- wheat; response to high growth temperature (Gibson et al), 421
- Moisture**
 - cake, factors affecting (Lahtinen et al), 547
 - conditioned content of rice (Fan et al), 254
 - sorption; puffed corn extrudates affected by (Barrett and Kaletunc), 695
- Mycotoxins**
 - deoxynivalenol and vomitoxin in HRW wheat (Trigo-Stockli et al), 841
 - in Manitoba barley (Abramson et al), 137
- Neural network**
 - for estimation of scab in wheat (Ruan et al), 455
 - modeling, of physical properties of ground wheat (Fang et al), 251
- NIR, reflectance to predict properties of wheat flour (Delwiche et al), 412**
- NIR spectroscopy**
 - classification of wheat based on single kernel analysis (Dowell), 142
 - to determine wheat moisture content effect on hardness scores (Gaines and Windham), 386
 - optimal geometrics for development of rice quality models (Barton et al), 315
 - for prediction of wet-milling results in corn (Dijkhuizen et al), 266
- Noodle**
 - flour; characteristics, from Japan (Jun et al), 820
 - flour; lipids in Japanese (Jun et al), 826
 - quality affected by *Amaranthus* and buckwheat proteins (Bejosano and Corke), 171
- Oat**
 - grain hydrothermal treatment effect on dough and bread-baking (Zhang et al), 602
 - groats; rheological properties of β -glucans from (Zhang et al), 433
 - malted, chemical composition of (Peterson), 230
 - starch; structure and pasting properties of (Zhou et al), 273
- Oat bran**
 - effect of extrusion on cholesterol-lowering properties (Kahlon et al), 897
 - solution viscoelastic properties of OATRIM-10 and (Carriere and Inglett), 354
- Oil, composites with starch; isolation of water-miscible fractions (Knutson), 351**
- Oxidation, of barley lipids by lipid oxidation (Kaukovirta-Norja et al), 742**
- Packaging, proteins as agricultural polymers for (Cuq et al), 1**
- Pancake, springiness (Seguchi et al), 37**
- Pasta, protein networks; textural images analysis of (Fardet et al), 699**
- Peanut, physicochemical properties related to roasting and malting (Griffith and Castell-Perez), 780**
- Pearl millet, physicochemical properties related to roasting and malting (Griffith and Castell-Perez), 780**
- Peroxidase**
 - horseradish, mechanism of arabinoxylan cross-linking through dimerization of feruloyl esters (Figueroa-Espinoza and Rouau), 259
 - in wheat flour doughs; mixing condition effect on (Delcours et al), 85
- Phosphorylated β -cyclodextrins, preparation and solubility of (Lee and Lim), 690**
- Phylloquinone, in cereal products (Koivu et al), 113**
- Physicochemical properties**
 - of roasted and malted cereals and legumes (Griffith and Castell-Perez), 780
 - of roasted malt extract (Kim et al), 282
- Protein**
 - as agricultural polymers for packaging production (Cuq et al), 1
 - bodies; corn, disruption during processing (Batterman-Azcona and Hamaker), 217
 - composition; prediction by NIR (Delwiche et al), 412
 - content and composition; cultivar and temperature effect on (Uhlen et al), 460
 - digestibilities; discovery of grain sorghum germ plasma with (Weaver et al), 665
 - extract from rye that improves wheat flour baking performance (Delcours et al), 403
 - foam stability; enhancement by formation of wheat arabinoxylan-protein crosslinks (Sarker et al), 493
 - measurement in maize (Dijkhuizen et al), 266
 - wheat, extraction of soluble proteins and quantitation of insoluble polymeric proteins (Bean et al), 374
- Quality factors, sorghum, relation to physical and water absorption properties (Buffo et al), 100**
- Response surface methodology, optimum roasting and extraction conditions of roasted malt extract (Kim et al), 282**
- Retrogradation**
 - amaranth starch with fructose, glucose, and sucrose, and salt, by centrifugation and DSC (Baker and Rayas-Duarte), 301
 - du wx* and *su2 wx* maize starch, gelatinization heat treatment (Liu and Thompson), 868
 - kinetics of rice flours (Fan and Marks), 153
 - of maize starches; in relation to syneresis (Yuan and Thompson), 571
 - rate analysis with exponential first-order equation by regression, effect of storage temperature and salt and sugars (Baker and Rayas-Duarte), 308
 - and starch gelatinization; effect of isolation, drying, and grinding on (Grant), 590
 - starch, method for determining rate and extent of (Jacobson and BeMiller), 22
 - of starch; role of phosphorus in (Lin and Czuchajowska), 705
- Reviewers, acknowledgment of, iii**
- Rheological properties**
 - during heating of waxy starch pastes stored at 4°C (Yuan and Thompson), 117
 - of β -glucans from oat groats (Zhang et al), 433
 - of rye doughs; germination and water content effect on (Autio), 10
- Rheology**
 - of caroubin (Feillet and Roulland), 488
 - effect of yeast on rheology of bread dough (Liao et al), 612
 - for entanglement molecular weights of maize starches (Carriere), 360
 - of OATRIM-10 and cooked oat bran (Carriere and Inglett), 354
- Rice**
 - breakage due to environmental conditions (Siebenmorgen et al), 149
 - bulk density of (Fan et al), 254
 - cultivar influence on retrogradation kinetics (Fan and Marks), 153
 - degree of milling; digital image analysis method for rapid measurement of (Liu et al), 380
 - head yield determination; quality, degree of milling (Reid et al), 738
 - hull ash; silica gel from, preparation and characterization (Kamath and Proctor), 484
 - long-grain, milling quality characteristics of (Chen et al), 560
 - milling quality relation to individual kernel moisture content distribution (Siebenmorgen et al), 129
 - quality; optimal geometrics for development of (Barton et al), 315
 - sensory descriptive texture analyses; correlation to instrumental parameters (Meullenet et al), 714
 - texture; effects of postharvest processing on (Champagne et al), 181
- Rice bran, effect of extrusion on cholesterol-lowering properties (Kahlon et al), 897**
- RP-HPLC, for quantitative determination of gluten protein types in wheat flour (Wiser et al), 644**
- Rye**
 - dough; germination and water content effect on rheological properties of (Autio et al), 10
 - extract from that improves wheat flour baking performance (Delcours et al), 403
- Scanning electron microscopy, environmental, for conditioning agent effect on tempered and steam-flaked sorghum (McDonough et al), 58**
- SDS-PAGE, for resolution of high molecular weight glutenin subunits (Kasarda et al), 70**
- Semolina, effects of break-roll speed differential on granulation (Hareland), 836**
- Shortening, containing stearic acid; effect of on blood lipids and fat digestibility (Ranhotra et al), 557**
- Silica gel, from rice hull ash; preparation and characterization (Kamath and Proctor), 484**
- Snacks, effects of processing conditions and sorghum variety on (Suhendro et al), 187**
- Sorghum**
 - flours; starch digestibility and protein effect (Zhang and Hamaker), 710
 - germ plasma discovery with protein digestibilities (Weaver et al), 665
 - interrelationship of quality factors (Buffo et al), 100
 - quality; effect on snacks (Suhendro et al), 187
 - steam flaking characteristics of (McDonough et al), 634
 - tempered and steam-flaked, conditioning agent effect on (McDonough et al), 58
- Starch**
 - amaranth, macromolecular features of (Bello-Pérez et al), 395
 - barley, structure and functionality (Czuchajowska et al), 747
 - buckwheat, partial characterization of (Quian et al), 365
 - composites with oil; isolation of water-miscible fractions (Knutson), 351
 - digestibility of cooked sorghum flours; protein effect (Zhang and Hamaker), 710
 - effect of structure on swelling power (Sasaki and Matsuki), 525
 - as fat replacement (Whistler et al), 72
 - from garbanzo beans and peas; composition, thermal behavior, and gel texture from (Czuchajowska et al), 466

- gelatinization and retrogradation; effect of isolation, drying, and grinding on (Grant), 590
- granule extraction (Mu et al), 480
- granule size distribution and chemical composition of (Raeker et al), 721
- granule surface lipid (Seguchi and Kanenaga), 294
- hull-less, physicochemical properties of zero amylose (Zheng et al), 520
- measurement in maize (Dijkhuizen et al), 266
- molecular mass and size by SEC (Yokoyama et al), 530
- oat, structure and pasting properties of (Zhou et al), 273
- processing conditions and binders; effects of extrusion variables and chemicals on properties of (Pan et al), 541
- properties; Canadian and Japanese barleys compared (Bhatty and Rossnagel), 15
- properties; diluted alkaline-protease treatment for isolation of (Radosavljevic et al), 212
- relation with water in cookie dough system (Donelson and Gaines), 660
- resistant, botanical source and formation of (García-Alonso et al), 802
- resistant, formation by twin-screw extruder (Unlu and Faller), 346
- retrogradation; method for determining rate and extent of (Jacobson and BeMiller), 22
- thermal properties (by DSC) as affected by pollination method and growing location (Krieger et al), 656
- of triticale; effect of solutes and moisture in gelatinization (Leon et al), 617
- viscosity, gelatinization, and retrogradation; phosphorus role (Lin and Czuchajowska), 705
- waxy maize genotypes, freeze-thaw stability (Yuan and Thompson), 571
- waxy maize genotypes, retrogradation and network formation on storage at 4°C (Yuan and Thompson), 117
- wheat, effect of additives on extrusion cooking (Singh et al), 325
- Stearic acid, effect of shortenings on blood lipids and fat digestibility (Ranhotra et al), 557
- Storage
 - of corn; electrolyte leakage relation (Marks and Strohline), 651
 - effect on wet-milling characteristics of corn (Singh et al), 235
 - of malt; influence on lipoxygenase reaction (Kaukovirta-Norja et al), 742
- Sugars
 - fructose, sucrose, and glucose, effect on rate of retrogradation (Baker and Rayas-Duarte), 308
 - sucrose, fructose, and glucose, effect on retrogradation of amaranth starch (Baker and Rayas-Duarte), 301
- Sulfhydryl, change as a result of hexose oxidase treatment (Poulsen and Høstrup), 51
- Temperature, effect on wheat protein content, composition, and dough-mixing properties (Uhlen et al), 460
- Texture
 - measurement of tortillas; bending technique for (Suhendro et al), 854
 - profile analysis of rice; postharvest processing effects on (Champagne et al), 181
 - sensory descriptive, analyses of cooked rice, correlation to instrumental parameters (Meullenet et al), 714
- Tortilla
 - texture measurement; by objective rollability method (Suhendro et al), 320
 - texture measurement; tortilla bending technique for (Suhendro et al), 854
- Triticale, starch; in cookies (Leon et al), 617
- Volatiles, in commercial breads (Seitz et al), 847
- Weaning foods, effect of blend and processing method on nutritional quality (Griffith et al), 105
- Wet milling
 - of corn; storage effect (Singh et al), 235
 - steeping condition effect on (Yuan et al), 145
- Wheat
 - arabinoxylan-protein crosslinks; protein foam stability enhancement of (Sarker et al), 493
 - automated single kernel color classification (Dowell), 142
 - cultivar quality response to foliar disease (Puppala et al), 94
 - dough; functionality of whey protein concentrate in (Kadharmestan et al), 785
 - dough properties (Bejosano and Corke), 171
 - flour doughs; characterization of viscoelastic behavior of (Masi et al), 428
 - flour doughs; mixing condition effect on lipoxygenase, peroxidase, and catalase in (Delcros et al), 85
 - flour; effect of puroindolines on breadmaking properties of (Dubreil et al), 222
 - flour; ethanol substitution for water in protein and starch fractionation from (Robertson and Cao), 508
 - flour; exogenous lipase effect on dough lipids during mixing (Castello et al), 595
 - flour; intercultivar variation in quantity of proteins and glutenin in, relation to breadmaking quality (Sapirstein and Fu), 500, 767
 - flour; pancake springiness relation to binding of prime starch to tailings in (Seguchi et al), 37
 - flour swelling, relationships to noodle texture (Fu et al), 566
 - flour; water-extractable arabinogalactan-peptide in, structural variation and levels of (Loosveld et al), 815
 - hard red winter, comparison of mycotoxins and *Fusarium graminearum* (Trigo-Stockli et al), 841
 - irradiated, detection by electron paramagnetic resonance spin probe technique (Sünnetcioglu et al), 875
 - moisture content effect on hardness scores determined by NIR spectroscopy (Gaines and Windham), 386
 - proteins; extraction of soluble polymeric and monomeric proteins (Bean et al), 374
 - puffed and shriveled grain, evaluation (Gaines et al), 207
 - quality; modified by heat stress (Blumenthal et al), 43
 - quality response to high growth temperature (Gibson et al), 421
 - quality; single kernel characteristics in relation to milling and baking (Ohm et al), 156
 - quality traits; genotype and environmental effects on (Bergman et al), 729
 - soft, starch granule size distribution and chemical composition from (Raeker et al), 721
 - sprouted and scab-damaged, measurement of single-kernel density of (Martin et al), 177
 - starch-additive mixture; physical properties of additives (Singh et al), 325
 - starch hydrolysates; filtration characteristics of (Matser and Steeneken), 241, 289
 - starch structure, effect on swelling power (Sasaki and Matsuki), 525
 - steeping condition effect on wet-milling characteristics of (Yuan et al), 145
 - waxy starch; hot paste viscosity (Kiribuchi-Otobe et al), 671
 - Wheat bran, effect of extrusion on cholesterol-lowering properties (Kahlon et al), 897
 - Wheat protein concentrate, heat treatment and high hydrostatic pressure in wheat-based products (Kadharmestan et al), 762
 - Yeast, rheological effect in breadmaking (Liao et al), 612
 - Zein
 - batch extraction from dry-milled corn; cereal disintegration (Dickey et al), 443
 - distribution in cornflakes (Batterman-Azcona and Hamaker), 217
 - plasticized films; water vapor barrier properties (Lin and Padua), 194